

- Exam review
- Synchronization wrap-up
- Deadlock Avoidance: Banker's algorithm

Tod^ay

- Necessary conditions for deadlock:
 - Mutual exclusion
 - Hold and wait
 - No preemption
 - Circular wait
- Ways of handling deadlock
 - Deadlock detection and recovery
 - Deadlock prevention
 - Deadlock avoidance

Last Class: Deadlocks

- Otherwise, the thread must wait.

leaves the system in a safe state.

- The algorithm allocates resources to a requesting thread if the allocation


- The resources requested may not exceed the total available in the system.

may need for the duration of the execution.

- Force threads to provide advance information about what resources they

- This algorithm handles multiple instances of the same resource.

Banker's Algorithm



- This solution does not work for multiple instances of the same resource.
 - The claim edge is converted to a request edge and the thread waits.
- If the allocation would result in an unsafe state, the allocation is denied even if the resource is available.
- A cycle in this extended resource allocation graph indicates an unsafe state.
- Satisfying a request results in converting a claim edge to an allocation edge and changing its direction.
- Claim edges: an edge from a thread to a resource that may be requested in the future

Deadlock Avoidance

```

        }

        <redo the changes to avail, alloc[i], and need[i]>
        wait();

        <undo the changes to avail, alloc[i], and need[i]>
        // if this is an unsafe state, undo the allocation and wait
    while (!safeState ()) {

        need[i] = need[i] - request;

        alloc[i] = alloc[i] + request;
        avail = avail - request; // vector additions
        // See if the request would lead to an unsafe state
        // enough resources exist to satisfy the requests

        wait(); // Insufficient resources available
        else while (request > avail)
            error(); // Can't request more than you declared
        if (request > need[i]) // vector comparison
            // i is the thread making the request
            // request contains the resources being requested
        public void synchronizeAlloc(int request[], int i) {

```

Baner's Algorithm: Resource Allocation

```

        need[n,m], // # of resources that each thread might still request
        alloc[n,m], // # of each resource that each thread is using
        max[n,m], // # of each resource that each thread may want
        int avail[m], // # of available resources of each type
        int m; // # resources
        int n; // # threads
    class ResourceManager {

```

Preventing Deadlock with Baner's Algorithm

	Allocation			Available			total
	A	B	C	A	B	C	
P ₀	0	0	1	0	0	1	
P ₁	1	7	5	1	0	0	
P ₂	2	3	5	1	3	5	
P ₃	0	6	5	0	6	3	
				2	9	9	1 5 2

System snapshot:

Example using Banker's Algorithm

- Worst case: requires $O(mn^2)$ operations to determine if the system is safe.

```

private boolean safestate () {
    boolean work [m] = available [m]; // accommodate all resources
    boolean finish [n] = false; // none finished yet
    while (find i such that finish [i] == false
        // find a process that can complete its work now
        and need [i] <= work) { // vector operations
        work = work + alloc [i]
        finish [i] = true;
    }
    return true;
}
else
return false;
}

private boolean workable () {
    boolean work [m] = available [m]; // accommodate all resources
    boolean finish [n] = false; // none finished yet
    while (find i such that finish [i] == false
        // find a process that can complete its work now
        and need [i] <= work) { // vector operations
        work = work + alloc [i]
        finish [i] = true;
    }
    return true;
}
else
return false;
}

```

Banker's Algorithm: Safety Check

- What is a sequence of process execution that satisfies the safety constraint?

	A	B	C	Need	Allocation	Max	Available	total
P ₀	0	0	1	A B C	A B C	A B C	A B C	
P ₁	1	7	5					
P ₂	2	3	5					
P ₃	0	6	5					

- What would be the new system state after the allocation?

algorithm grant the request immediately?

- If a request from process P₁ arrives for additional resources of (0,5,2), can the Banker's

Example (contd)

- Is the system in a safe state? Why?

P ₃
P ₂
P ₁
P ₀

A	B	C

- What are the contents of the Need matrix?
- How many resources are there of type (A,B,C)?

Example (contd)

and the sequence P_0, P_1, P_2, P_3 satisfies the safety constraint.

				1	0	0
P_3	0	6	3	0	6	5
P_2	1	3	5	2	3	5
P_1	1	5	2	1	7	5
P_0	0	0	1	0	0	1
A	B	C	A	B	C	
Allocation		Max		Available		

3. The new system state after the allocation is:

2. $(0,5,2) + (1,0,0) = (1,5,2) \leq (1,7,5)$, the maximum number P_1 can request.

1. $(0,5,2) \leq (1,5,2)$, the Available resources, and

Yes. Since

- algorithms grant the request immediately? Show the system state, and other criteria.
- If a request from process P_1 arrives for additional resources of $(0,5,2)$, can the Banker's algorithm grant the request immediately? Show the system state, and other criteria.

Example: solutions

- Is the system in a safe state? Why?
- Yes, because the processes can be executed in the sequence P_0, P_1, P_2, P_3 , even if each process asks for its maximum number of resources when it executes.

P_3	0	0	2
P_2	1	0	0
P_1	0	7	5
P_0	0	0	0
A	B	C	

$$\text{Need} = \text{Max} - \text{Allocation}$$

- What is the contents of the need matrix?

$$\text{resources} = \text{total} + \text{available}$$

- How many resources of type (A,B,C)? (3,14,11)

Example: solutions

What is the relationship between semaphores and locks?

- A **counting semaphore** enables simultaneous access to a fixed number of resources
- Signal: unblocks a process on the wait queue, otherwise, increments value
- Wait: decrements value, thread continues if value ≥ 0 (semaphore is available), otherwise, it waits on semaphore
- Value: initialization depends on problem.

- **Semaphores:**

- Release: enables another thread to get lock. If threads are waiting, one gets the lock, else, the lock becomes free.
- Acquire: guarantees only one thread has lock; if another thread holds the lock, the acquiring thread waits, else the thread continues acquiring the lock
- Value: initially lock is always free.

- **Locks:**

High-Level Synchronization Primitives

- What can the OS do with these low-level primitives? the user?

Advantages	Disadvantages
	Test&Set
	Disable
	Interrupt
	Load/Store

- Low-Level Synchronization Primitives: hardware support

Synchronization Wrap up

- Ways of handling deadlock
 - Mutual exclusion
 - Hold and wait
 - No preemption
 - Circular wait
- Necessary conditions for deadlock:

Deadlocks

- Rule: thread must hold the lock when doing condition variable operations.
- Condition Variable is a queue of threads waiting for something inside a critical section. Operations:
 - Wait() - atomically release lock, go to sleep
 - Signal() - wake up waiting thread (if one exists) and give it the lock
 - Broadcast() - wake up all waiting threads
- Monitor Locks provide mutual exclusion to shared data.
 - Lock::Acquire - wait until lock is free, then grab it.
 - Lock::Release - unlock, and wake up any thread waiting in Acquire.
 - Always acquire lock before accessing shared data structure.
 - Always release lock when finished with shared data.
 - Lock is initially free.

High-Level Synchronization Primitives: Monitors

1. What is a process?
2. What is a process control block? What is it used for? What information does it contain?
3. What execution states can a process be in? What do they mean? What causes a process to change execution states?
4. How does the OS keep track of processes?
5. What is a context switch? What happens during a context switch? What causes a context switch to occur?
6. What is the difference between a kernel thread and a user-level thread?
7. What is the difference between a thread and a user-level thread?

Topics you should understand:

Processes and Threads

Exam Review

- expect that variation to have.
- Given a variation to a scheduling algorithm we studied, discuss what impact you would time for each scheduling algorithm we have discussed.
 - Given a list of processes, their arrival time, the lengths of their CPU and I/O bursts, and their total CPU time, you should be able to compute their completion time and waiting time for each scheduling algorithm we have discussed.

Things you should be able to do:

CPU Scheduling

- treat them differently for scheduling purposes?
- What is an I/O bound process? What is a CPU bound process? Is there any reason to very large time slice have?
 - What is a time slice? What effect does a very small time slice have? What effect does a algorithm can be preemptive?
 - What is preemptive scheduling? What is non-preemptive scheduling? Which scheduling
 - What are the advantages and disadvantages of each?
 - What is an I/O bound process? What is a CPU bound process? Is there any reason to treat them differently for scheduling purposes?

Topics you should understand:

CPU Scheduling

1. Given some code that uses locks, semaphores, or monitors, you should be able to explain whether you believe it works. In particular, does it guarantee mutual exclusion where appropriate, does it avoid starvation, and does it avoid deadlock?

Things you should be able to do:

Synchronization

1. Why do we need to synchronize processes/threads?
2. What is mutual exclusion?
3. What is a critical section?
4. What is a lock? What do you need to do to use a lock correctly?
5. What is a semaphore? What are the three things a semaphore can be used for?
6. What is a monitor? What is a condition variable? What are the two possible resumption semantics after a condition variable has been signaled? What are the advantages and disadvantages of each?
7. What is busy waiting?
8. How can interrupts be manipulated to support the implementation of critical sections?
9. What is test&set? How can a test&set instruction be used to support the implementation of critical sections? What are the advantages and disadvantages?

Topics you should understand:

Synchronization

5. Given some code that might deadlock, describe how you might change the algorithm to prevent deadlock.
4. Given a state consisting of resources allocated to processes, maximum resource requirements of processes, and available resources, determine if the request can be safely satisfied.
3. Given a state consisting of resources allocated to processes, maximum resource requirements of processes, and available resources, determine if the state could lead to deadlock.
2. Given a state consisting of resources allocated to processes, processes waiting on resources, and available resources, determine if the processes are deadlocked.
1. Given some code, reason about whether or not it is possible for deadlock to occur.

Things you should be able to do:

Deadlocks

4. What is a safe state? What is the difference between an unsafe state and a deadlocked state?
3. After detecting a deadlock, what options are conceivable for recovering from deadlock?
2. What is the difference between deadlock detection and deadlock prevention?
1. What are the four necessary conditions for deadlock to occur?

Topics you should understand:

Deadlocks

- You will **not** be asked detailed questions about any specific operating system, such as Unix, Nachos, Windows NT, ...
- You will be asked to write pseudo code with synchronization.
- You should be able to read Java code.

General Skills