

Last Class: Web Caching

- Use web caching as an illustrative example
- Distribution protocols
 - Invalidate versus updates
 - Push versus Pull
 - Cooperation between replicas

Today: More on Consistency


- Eventual consistency and Epidemic protocols
- Consistency protocols
 - Primary-based
 - Replicated-write
- Putting it all together
 - Final thoughts

Eventual Consistency

- Many systems: one or few processes perform updates
 - How frequently should these updates be made available to other read-only processes?
- Examples:
 - DNS: single naming authority per domain
 - Only naming authority allowed updates (no write-write conflicts)
 - How should read-write conflicts (consistency) be addressed?
 - NIS: user information database in Unix systems
 - Only sys-admins update database, users only read data
 - Only user updates are changes to password

Eventual Consistency

- Assume a replicated database with few updaters and many readers
- Eventual consistency: in absence of updates, all replicas converge towards identical copies
 - Only requirement: an update should eventually propagate to all replicas
 - Cheap to implement: no or infrequent write-write conflicts
 - Things work fine so long as user accesses same replica
 - What if they don't:



Client-centric Consistency Models

- Assume read operations by a single process P at two *different* local copies of the same data store
 - Four different consistency semantics
- *Monotonic reads*
 - Once read, subsequent reads on that data items return same or more recent values
- *Monotonic writes*
 - A write must be propagated to all replicas before a successive write by the *same process*
 - Resembles FIFO consistency (writes from same process are processed in same order)
- *Read your writes*: $\text{read}(x)$ always returns $\text{write}(x)$ by that process
- *Writes follow reads*: $\text{write}(x)$ following $\text{read}(x)$ will take place on same or more recent version of x

Epidemic Protocols

- Used in Bayou system from Xerox PARC
- Bayou: weakly connected replicas
 - Useful in mobile computing (mobile laptops)
 - Useful in wide area distributed databases (weak connectivity)
- Based on theory of epidemics (*spreading infectious diseases*)
 - Upon an update, try to “infect” other replicas as quickly as possible
 - Pair-wise exchange of updates (*like pair-wise spreading of a disease*)
 - Terminology:
 - Infective store: store with an update it is willing to spread
 - Susceptible store: store that is not yet updated
- Many algorithms possible to spread updates

Spreading an Epidemic

- **Anti-entropy**
 - Server P picks a server Q at random and exchanges updates
 - Three possibilities: only push, only pull, both push and pull
 - Claim: A pure push-based approach does not help spread updates quickly (Why?)
 - Pull or initial push with pull work better
- **Rumor mongering (aka gossiping)**
 - Upon receiving an update, P tries to push to Q
 - If Q already received the update, stop spreading with prob $1/k$
 - Analogous to “hot” gossip items => stop spreading if “cold”
 - Does not guarantee that all replicas receive updates
 - Chances of staying susceptible: $s = e^{-(k+1)(1-s)}$



Removing Data


- Deletion of data items is hard in epidemic protocols
- Example: server deletes data item x
 - No state information is preserved
 - Can't distinguish between a deleted copy and no copy!



Implementation Issues

- Two techniques to implement consistency models
 - Primary-based protocols
 - Assume a primary replica for each data item
 - Primary responsible for coordinating all writes
 - Replicated write protocols
 - No primary is assumed for a data item
 - Writes can take place at any replica

Remote-Write Protocols




W1. Write request
W2. Forward request to server for x
W3. Acknowledge write completed
W4. Acknowledge write completed

R1. Read request
R2. Forward request to server for x
R3. Return response
R4. Return response

- Traditionally used in client-server systems

Remote-Write Protocols (2)




W1. Write request
 W2. Forward request to primary
 W3. Tell backups to update
 W4. Acknowledge update
 W5. Acknowledge write completed

R1. Read request
 R2. Response to read

- Primary-backup protocol
 - Allow local reads, sent writes to primary
 - Block on write until all replicas are notified
 - Implements sequential consistency


Local-Write Protocols (1)



1. Read or write request
 2. Forward request to current server for x
 3. Move item x to client's server
 4. Return result of operation on client's server

- Primary-based local-write protocol in which a single copy is migrated between processes.
 - Limitation: need to track the primary for each data item

Local-Write Protocols (2)



W1. Write request
W2. Move item x to new primary
W3. Acknowledge write completed
W4. Tell backups to update
W5. Acknowledge update


R1. Read request
R2. Response to read

- Primary-backup protocol in which the primary migrates to the process wanting to perform an update

Replicated-write Protocols

- Relax the assumption of one primary
 - No primary, any replica is allowed to update
 - Consistency is more complex to achieve
- Quorum-based protocols
 - Use voting to request/acquire permissions from replicas
 - Consider a file replicated on N servers
 - Update: contact at least $(N/2+1)$ servers and get them to agree to do update (associate version number with file)
 - Read: contact majority of servers and obtain version number
 - If majority of servers agree on a version number, read

Gifford's Quorum-Based Protocol



- Three examples of the voting algorithm:
 - a) A correct choice of read and write set
 - b) A choice that may lead to write-write conflicts
 - c) A correct choice, known as ROWA (read one, write all)



Final Thoughts

- Replication and caching improve performance in distributed systems
- Consistency of replicated data is crucial
- Many consistency semantics (models) possible
 - Need to pick appropriate model depending on the application
 - Example: web caching: weak consistency is OK since humans are tolerant to stale information (can reload browser)
 - Implementation overheads and complexity grows if stronger guarantees are desired

