


Security in Distributed Systems

- Introduction
- Cryptography
- Authentication
- Key exchange
- Readings: Tannenbaum, chapter 8
Ross/Kurose, Ch 7 (available online)

Network Security



Intruder may

- eavesdrop
- remove, modify, and/or insert messages
- read and playback messages

Issues


Important issues:

- *cryptology*: secrecy of info being transmitted
- *authentication*: proving who you are and having correspondent prove his/her/its identity

Security in Computer Networks

User resources:

- login passwords often transmitted unencrypted in TCP packets between applications (e.g., telnet, ftp)



Security Issues


Network resources:

- often completely unprotected from intruder eavesdropping, injection of false messages
- mail spoofs, router updates, ICMP messages, network management messages

Bottom line:

- intruder attaching his/her machine (access to OS code, root privileges) onto network can override many system-provided security measures
- users must take a more active role

Encryption



plaintext: unencrypted message

ciphertext: encrypted form of message

Intruder may

- intercept ciphertext transmission
- intercept plaintext/ciphertext pairs
- obtain encryption decryption algorithms

A simple encryption algorithm

Substitution cipher:

abcdefghijklmnopqrstuvwxyz

poiuytrewqasdfghjklmnbvczx

- replace each plaintext character in message with matching ciphertext character:

plaintext: Charlotte, my love

ciphertext: iepksgmmy, dz sgby


Encryption Algo (contd)

- key is pairing between plaintext characters and ciphertext characters
- **symmetric key:** sender and receiver use same key
- 26! (approx 10^{26}) different possible keys:
unlikely to be broken by random trials
- substitution cipher subject to decryption using observed frequency of letters
 - 'e' most common letter, 'the' most common word

DES: Data Encryption Standard


- encrypts data in 64-bit chunks
- encryption/decryption algorithm is a published standard
 - everyone knows how to do it
- substitution cipher over 64-bit chunks: 56-bit key determines which of 56! substitution ciphers used
 - substitution: 19 stages of transformations, 16 involving functions of key

Symmetric Cryptosystems: DES (1)



- a) The principle of DES
b) Outline of one encryption round

Symmetric Cryptosystems: DES (2)



- Details of per-round key generation in DES.

Key Distribution Problem


Problem: how do communicant agree on symmetric key?

- N communicants implies N keys

Trusted agent distribution:

- keys distributed by centralized trusted agent
- any communicant need only know key to communicate with trusted agent
- for communication between i and j, trusted agent will provide a key

Key Distribution




We will cover in more detail shortly

Public Key Cryptography

- separate encryption/decryption keys
 - receiver makes *known* (!) its encryption key
 - receiver keeps its decryption key secret
- to send to receiver B, encrypt message M using B's publicly available key, EB
 - send $EB(M)$
- to decrypt, B applies its private decrypt key DB to receiver message:
 - computing $DB(EB(M))$ gives M

Public Key Cryptography



- knowing encryption key does not help with decryption; decryption is a non-trivial inverse of encryption
- only receiver can decrypt message

Question: good encryption/decryption algorithms

RSA: public key encryption/decryption

RSA: a public key algorithm for encrypting/decrypting

Entity wanting to receive encrypted messages:

- choose two prime numbers, p , q greater than 10^{100}
- compute $n=pq$ and $z = (p-1)(q-1)$
- choose number d which has no common factors with z
- compute e such that $ed = 1 \pmod z$, i.e.,
$$\text{integer-remainder}(ed / ((p-1)(q-1))) = 1, \text{ i.e.,}$$
$$ed = k(p-1)(q-1) + 1$$
- three numbers:
 - e , n made public
 - d kept secret

RSA (continued)

to encrypt:

- divide message into blocks, $\{b_i\}$ of size j : $2^j < n$
- encrypt: $encrypt(b_i) = b_i^e \pmod n$

to decrypt:

- $b_i = encrypt(b_i)^d$

to break RSA:

- need to know p, q , given $pq=n$, n known
- factoring 200 digit n into primes takes 4 billion years using known methods

RSA example

- choose $p=3, q=11$, gives $n=33, (p-1)(q-1)=z=20$
- choose $d = 7$ since 7 and 20 have no common factors
- compute $e = 3$, so that $ed = k(p-1)(q-1)+1$
(note: $k=1$ here)

Example

| plaintext | | e=3 | ciphertext |
|-----------|----|------|------------|
| char | # | #^3 | #^3 mod 33 |
| S | 19 | 6859 | 28 |
| U | 21 | 9261 | 21 |
| N | 14 | 2744 | 5 |

| ciphertext | | d=7 | plaintext |
|------------|-------------|------------|-----------|
| c | c^7 | c^7 mod 33 | char |
| 28 | 13492928512 | 19 | S |
| 21 | 1801 | 21 | N |

Further notes on RSA

why does RSA work?

- crucial number theory result: if p, q prime then

$$b_i^{((p-1)(q-1)) \bmod pq} = 1$$

- using mod pq arithmetic:

$$(b^e)^d = b^{ed}$$

$$= b^{\{k(p-1)(q-1)+1\}} \text{ for some } k$$

$$= b \cdot b^{(p-1)(q-1)} \cdot b^{(p-1)(q-1)} \dots b^{(p-1)(q-1)}$$

$$= b \cdot 1 \cdot 1 \dots 1$$

$$= b$$


Note: we can also encrypt with d and decrypt with e .

- this will be useful shortly

How to break RSA?

Brute force: get B's public key

- for each possible b_i in plaintext, compute b_i^e
- for each observed b_i^e , we then know b_i
- moral: choose size of b_i "big enough"



Breaking RSA

man-in-the-middle: intercept keys, spoof identity:

