

Last Class: Naming

- Naming
 - Distributed naming
 - DNS
 - LDAP
 -




Today: Canonical Problems in Distributed Systems

- Time ordering and clock synchronization
- Leader election
- Mutual exclusion
- Distributed transactions
- Deadlock detection



Clock Synchronization

- Time is unambiguous in centralized systems
 - System clock keeps time, all entities use this for time
- Distributed systems: each node has own system clock
 - Crystal-based clocks are less accurate (1 part in million)
 - *Problem*: An event that occurred after another may be assigned an earlier time




Physical Clocks: A Primer

- Accurate clocks are atomic oscillators (one part in 10^{13})
- Most clocks are less accurate (e.g., mechanical watches)
 - Computers use crystal-based blocks (one part in million)
 - Results in *clock drift*
- How do you tell time?
 - Use astronomical metrics (solar day)
- Coordinated universal time (*UTC*) – international standard based on atomic time
 - Add leap seconds to be consistent with astronomical time
 - UTC broadcast on radio (satellite and earth)
 - Receivers accurate to 0.1 – 10 ms
- Need to synchronize machines with a master or with one another




Clock Synchronization

- Each clock has a maximum drift rate ρ
 - $1 - \rho \leq dC/dt \leq 1 + \rho$
 - Two clocks may drift by $2\rho \Delta t$ in time Δt
 - To limit drift to $\delta \Rightarrow$ resynchronize every $\delta/2\rho$ seconds



Cristian's Algorithm

- Synchronize machines to a *time server* with a UTC receiver
- Machine P requests time from server every $\delta/2\rho$ seconds
 - Receives time t from server, P sets clock to $t + t_{reply}$ where t_{reply} is the time to send reply to P
 - Use $(t_{req} + t_{reply})/2$ as an estimate of t_{reply}
 - Improve accuracy by making a series of measurements




Berkeley Algorithm

- Used in systems without UTC receiver
 - Keep clocks synchronized with one another
 - One computer is *master*, other are *slaves*
 - Master periodically polls slaves for their times
 - Average times and return differences to slaves
 - Communication delays compensated as in Cristian's algo
 - Failure of master => election of a new master



Berkeley Algorithm



- a) The time daemon asks all the other machines for their clock values
- b) The machines answer
- c) The time daemon tells everyone how to adjust their clock




Distributed Approaches

- Both approaches studied thus far are centralized
- Decentralized algorithms: use resync intervals
 - Broadcast time at the start of the interval
 - Collect all other broadcast that arrive in a period S
 - Use average value of all reported times
 - Can throw away few highest and lowest values
- Approaches in use today
 - *rdate*: synchronizes a machine with a specified machine
 - Network Time Protocol (NTP) - discussed in a later slide
 - Uses advanced techniques for accuracies of 1-50 ms



Global Positioning System



- Computing a position in a two-dimensional space.



Global Positioning System

- Real world facts that complicate GPS
- It takes a while before data on a satellite's position reaches the receiver.
- The receiver's clock is generally not in synch with that of a satellite.




GPS Basics

- D_r – deviation of receiver from actual time
- Beacon with timestamp T_i received at T_{now}
 - Delay $D_i = (T_{\text{now}} - T_i) + D_r$
 - Distance $d_i = c (T_{\text{now}} - T_i)$
 - Also $d_i = \text{sqrt}[(x_i - x_r)^2 + (y_i - y_r)^2 + (z_i - z_r)^2]$
- Four unknowns, need 4 satellites.
-




Clock Synchronization in Wireless Networks



- Reference broadcast sync (RBS): receivers synchronize with one another using RB server
 - Mutual offset = $T_{i,s} - T_{j,s}$ (can average over multiple readings)



Network Time Protocol



- Widely used standard - based on Cristian's algo
 - Uses eight pairs of delays from A to B and B to A.
- Hierarchical – uses notion of stratum
- Clock can not go backward



Logical Clocks

- For many problems, internal consistency of clocks is important
 - Absolute time is less important
 - Use *logical* clocks
- Key idea:
 - Clock synchronization need not be absolute
 - If two machines do not interact, no need to synchronize them
 - More importantly, processes need to agree on the *order* in which events occur rather than the *time* at which they occurred



Event Ordering

- *Problem*: define a total ordering of all events that occur in a system
- Events in a single processor machine are totally ordered
- In a distributed system:
 - No global clock, local clocks may be unsynchronized
 - Can not order events on different machines using local times
- Key idea [Lamport]
 - Processes exchange messages
 - Message must be sent before received
 - Send/receive used to order events (and synchronize clocks)

