

Today: Segmentation

Segments take the user's view of the program and gives it to the OS.


- User views the program in logical *segments*, e.g., code, global variables, stack, heap (dynamic data structures), not a single linear array of bytes.
- The compiler generates references that identify the segment and the offset in the segment, e.g., a code segment with offset = 399
- Thus processes thus use virtual addresses that are segments and segment offsets.

⇒ Segments make it easier for the call stack and heap to grow dynamically. Why?

⇒ Segments make both sharing and protection easier. Why?

Last Class: Paging

- Process generates virtual addresses from 0 to Max.
- OS divides the process onto pages; manages a page table for every process; and manages the pages in memory
- Hardware maps from virtual addresses to physical addresses.




Let's combine the ease of sharing we get from segments with efficient memory utilization we get from pages.


- Similar memory mapping algorithm as paging. We need something like the TLB if programs can have lots of segments
- Segmentation can be combined with a dynamic or static relocation system,
 - Each segment is allocated a contiguous piece of physical memory.
 - External fragmentation can be a problem again
- Compiler needs to generate virtual addresses whose upper order bits are a segment number.

Implementing Segmentation

- Segment table: each entry contains a base address in memory, length of segment, and protection information (can this segment be shared, read, modified, etc.).
- Hardware support: multiple base/limit registers.



Implementing Segmentation



Combining Segments and Paging


- Treat virtual address space as a collection of segments (logical units) of arbitrary sizes.
 - Treat physical memory as a sequence of fixed size page frames.
 - Segments are typically larger than page frames,
- ⇒ Map a logical segment onto multiple page frames by paging the segments

Combining Segments and Paging

Addresses in a Segmented Paging System

- A virtual address becomes a segment number, a page within that segment, and an offset within the page.
- The segment number indexes into the segment table which yields the base address of the page table for that segment.
- Check the remainder of the address (page number and offset) against the limit of the segment.
- Use the page number to index the page table. The entry is the frame. (The rest of this is just like paging.)
- Add the frame and the offset to get the physical address.

Addresses in a Segmented Paging System



1. How many bits is a physical address?
 2. How many bits is a virtual address?
 3. How many segment table entries do we need?
- Given a memory size of 256 addressable words,
 - a page table indexing 8 pages,
 - a page size of 32 words, and
 - 8 logical segments

Addresses in a Segmented Paging System: Example

- Share individual pages by copying page table entries.
- Share whole segments by sharing segment table entries, which is the same as sharing the page table for that segment.
- Need protection bits to specify and enforce read/write permission.
 - When would segments containing code be shared?
 - When would segments containing data be shared?

Sharing Pages and Segments

Sharing Pages and Segments: Implementation Issues

- Where are the segment table and page tables stored?
 1. Store segment tables in a small number of associative registers; page tables are in main memory with a TLB (faster but limits the number of segments a program can have)
 2. Both the segment tables and page tables can be in main memory with the segment index and page index combined used in the TLB lookup (slower but no restrictions on the number of segments per program)
- Protection and valid bits can go either on the segment or the page table entries
- **Note:** Just like recursion, we can do multiple levels of paging and segmentation when the tables get too big.

Segmented Paging: Costs and Benefits

- **Benefits:** faster process start times, faster process growth, memory sharing between processes.
- **Costs:** somewhat slower context switches, slower address translation.
- Pure paging system \Rightarrow (virtual address space)/(page size) entries in page table. How many entries in a segmented paging system?
- What is the performance of address translation of segmented paging compared to contiguous allocation with relocation? Compared to pure paging?
- How does fragmentation of segmented paging compare with contiguous allocation? With pure paging?

Putting it all together

- **Relocation** using Base and Limit registers
 - simple, but inflexible
- **Segmentation:**

- compiler's view presented to OS
- segment tables tend to be small
- memory allocation is expensive and complicated (first fit, worst fit, best fit).
- compaction is needed to resolve external fragmentation.

Putting it all together

- **Paging:**
 - simplifies memory allocation since any page can be allocated to any frame
 - page tables can be very large (especially when virtual address space is large and pages are small)
- **Segmentation & Paging**

- only need to allocate as many page table entries as we need (large virtual address spaces are not a problem).
- easy memory allocation, any frame can be used
- sharing at either the page or segment level
- increased internal fragmentation over paging
- two lookups per memory reference